



Specification

Item number:	2434		
Conductivity Standard 1413 $\mu\text{S}/\text{cm}$			
1413 $\mu\text{S}/\text{cm}$ (25 °C)			
CAS No.:		print date:	28.08.2019
formula:			
density:			
molcular weight:			

Type analysis

Conductivity (25°C)	1413 $\mu\text{S}/\text{cm} \pm 1 \%$
----------------------------	---------------------------------------

Traceable to SRM from NIST

The following values of the temperature table are not measured in each batch. Values are only informative and not content of our product specification.

Temperature	Conductivity value ($\mu\text{S}/\text{cm}$)
5°C	894
10°C	1007
15°C	1139
16°C	1167
17°C	1194
18°C	1221
19°C	1249
20°C	1276
21°C	1304
22°C	1331
23°C	1358
24°C	1386
25°C	1413
30°C	1550
35°C	1694
40°C	1833
45°C	1989
50°C	2139

Our products are tested for laboratory use only.
The stated information refers to the current status of product quality.
We reserve the right to implement necessary changes.

U. Jeckel
Quality Assurance

S.Hildebrandt
Quality Management

This document is computer printout and has therefore not been signed by hand.

Carl Roth GmbH + Co. KG
Schoemperlenstraße 3-5
76185 Karlsruhe

Telefon 0721/5606-0
Telefax 0721/5606-149
E-Mail: info@carlroth.de

Die Firma ist eine Kommanditgesellschaft mit Sitz in Karlsruhe, Reg. Gericht Mannheim HRA 100055. Persönlich haftende Gesellschafterin ist die Firma Roth Chemie GmbH mit Sitz in Karlsruhe, Reg. Gericht Mannheim HRB 100428. Vorsitzender des Aufsichtsrats: Eberhard Gaul
Geschäftsführer: Lothar Haidmann

