


Cyclohexane, for GC residue analysis

Identification

C₆H₁₂
M = 84,16 g/mol
CAS [110-82-7]
EC number: 203-806-2
Taric code: 2902 11 00

**Synonyms**

Hexahydrobenzene, Hexamethylene, Naphthene



Applications

solvents, analytical chemistry, synthesis of organic products.

Specifications

assay (G.C.).....	min. 99,8 %	Suitable for organohalogenated
identity (IR-spectrum).....	passes test	pesticide and dioxins, furans and PCBs
density (20°/4°).....	0,776 - 0,780	residue analysis.
residue on evaporation.....	max. 0,0001 %	ECD, from 1,2,4-trichlorobenzene to
water (K.F.).....	max. 0,01 %	decachlorobiphenyl, no peaks are
		obtained greater than 3 pg/ml as lindane.
		No peaks are obtained in vicinity of
		2,4,5-trichlorobiphenyl.

Packaging**Packaging Code**

1 l  CI00351000
2,5 l  CI00352500

Physical data

- Density: 0,78 g/cm³
- Solub. in water: (20 °C): 55 mg/l
- Melting point: 6 °C
- Boiling point: 80,7 - 81 °C
- Flash point: -18 °C
- Ignition temperature: 260 °C
- Vapour pressure: (20 °C) 103 hPa
- Refraction index: (n 20 °C/D) 1,4264
- Viscosity: (kinetic, 20 °C) 1,26 mm²/s
- Dielectric const.: (20 °C) 2,0
- Evap. heat: (81 °C) 389 KJ/kg
- Saturation conc.: (20 °C) 357 g/m³
- Expl. limit (upper): 8,3 Vol%
- Expl. limit (lower): 1,2 Vol%

Safety - GHS

Signal Word: Danger

Hazard Statements:

- H225: Highly flammable liquid and vapour.
H304: May be fatal if swallowed and enters airways.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H315: Causes skin irritation.
H336: May cause drowsiness or dizziness.

**Precautionary Statements:**

- P210: Keep away from heat / sparks / open flames / hot surfaces. - No smoking.
P241: Use explosion-proof electrical / ventilating / lighting / equipment.
P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
P321: Specific treatment (see on this label).
P405: Store locked up.
P501a: Dispose of contents / container in accordance with local / regional / national / international regulations.

Toxicological data

- LD 50 (oral, rat): 12705 mg/kg
- MAK: 200 ml/m³, 700 mg/m³
- WGK: 1
- Poison class CH (Swiss): 4

Transport/storage

- ADR: 3 F1 II • UN 1145 • CYCLOHEXANE
- IMDG: 3 II • UN 1145 • CYCLOHEXANE
- IATA/ICAO: 3 II • UN 1145 • CYCLOHEXANE
- PAX: 305
- CAO: 307
- Store between 15°C and 25°C