Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: **2328** date of compilation: 2018-07-19 Version: **GHS 1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **3-Aminopropyltriethoxysilane**

Article number 2328

Registration number (REACH)

This information is not available.

 Index No
 612-108-00-0

 EC number
 213-048-4

 CAS number
 919-30-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Classifica	Classification acc. to GHS				
Section	Hazard class	Hazard class and cat- egory	Hazard state- ment		
2.6	flammable liquid	(Flam. Liq. 4)	H227		
3.10	acute toxicity (oral)	(Acute Tox. 4)	H302		
3.1D	acute toxicity (dermal)	(Acute Tox. 5)	H313		
3.2	skin corrosion/irritation	(Skin Corr. 1B)	H314		
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318		

Australia (en) Page 1 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

2.2 Label elements

Labelling GHS

Signal word **Danger**

Pictograms





Hazard statements

H227 Combustible liquid H302 Harmful if swallowed

H313 May be harmful in contact with skin

Causes severe skin burns and eye damage H314

Precautionary statements

Precautionary statements - prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210

P260 Do not breathe dusts or mists. P280 Wear eye protection/face protection.

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact P305+P351+P338

lenses, if present and easy to do. Continue rinsing.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction.

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





H227 Combustible liquid.

H313 May be harmful in contact with skin. H314 Causes severe skin burns and eye damage.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dusts or mists. P280 Wear eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair). Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsina.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction.

P501 Dispose of contents/container to industrial combustion plant.

2.3 Other hazards

There is no additional information.

Australia (en) Page 2 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance 3-Aminopropyltriethoxysilane

Index No 612-108-00-0 EC number 213-048-4 CAS number 919-30-2 Molecular formula $C_9H_{23}NO_3Si$ Molar mass 221.4 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Australia (en) Page 3 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 **Environmental precautions**

Keep away from drains, surface and ground water. Explosive properties.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections


Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Provision of sufficient ventilation. Handle and open container with care. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Australia (en) Page 4 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs/DMELs/PNECs and other threshold levels

· human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	59 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	59 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	8.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	8.3 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

• environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	0.33 ^{mg} / _l	freshwater	short-term (single instance)
PNEC	0.033 ^{mg} / _l	marine water	short-term (single instance)
PNEC	13 ^{mg} / _l	sewage treatment plant (STP)	short-term (single instance)
PNEC	1.2 ^{mg} / _{kg}	freshwater sediment	short-term (single instance)
PNEC	0.12 ^{mg} / _{kg}	marine sediment	short-term (single instance)
PNEC	0.05 ^{mg} / _{kg}	soil	short-term (single instance)

Australia (en) Page 5 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

· type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid (fluid)
Colour colourless
Odour like: amine

Odour threshold No data available

Australia (en) Page 6 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

Other physical and chemical parameters

pH (value)

11 (water: 20 ^g/_l, 20 °C)

Melting point/freezing point

<-70 °C at 1,013 hPa

Initial boiling point and boiling range

217 °C at 1,013 hPa

Flash point

93 °C at 1,013 hPa

Evaporation rate

no data available

Flammability (solid, gas)

not relevant (fluid)

Explosive limits

lower explosion limit (LEL)upper explosion limit (UEL)4.5 vol%

Explosion limits of dust clouds not relevant Vapour pressure 11 hPa at 20 °C Density 0.95 $^{\rm g}$ / $_{\rm cm}$ $^{\rm 3}$ at 20 °C

Vapour density This information is not available.

Bulk density Not applicable

Relative density Information on this property is not available.

Solubility(ies)

Water solubility no data available

Partition coefficient

n-octanol/water (log KOW) 1.7 (pH value: 7, 20 °C) (ECHA)

Auto-ignition temperature 270 °C at 1,013 hPa
Decomposition temperature no data available

Viscosity

• dynamic viscosity 2 mPa s at 20 °C

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

Refractive index 1.421

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

Australia (en) Page 7 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
oral	LD50	1,780 ^{mg} / _{kg}	rat	TOXNET
dermal	LD50	3,800 ^{mg} / _{kg}	rabbit	TOXNET

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

cough, pain, choking, and breathing difficulties

• If on skin

causes severe burns, causes poorly healing wounds

Other information

None

Australia (en) Page 8 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	>934 ^{mg} / _l	striped brill	ECHA	96 h
EC50	331 ^{mg} / _l	daphnia magna	ECHA	48 h
ErC50	>1,000 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	43 ^{mg} / _l	microorganisms	ECHA	5.75 h
growth (EbCx) 10%	13 ^{mg} / _l	microorganisms	ECHA	5.75 h

12.2 Process of degradability

Not readily biodegradable. Theoretical Oxygen Demand with nitrification: 2.06 mg/mg

Theoretical Oxygen Demand: 1.807 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1.789 ^{mg}/_{mg}

Process	Degradation rate	Time
biotic/abiotic	67 %	28 d
DOC removal	67 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 1.7 (pH value: 7, 20 °C)

BCF 3.4 (ECHA)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

Australia (en) Page 9 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks


Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14 1	UN number	2735
17.1	ON HUHBEI	2/33

14.2 UN proper shipping name **AMINES, LIQUID, CORROSIVE, N.O.S.**

Hazardous ingredients 3-Aminopropyltriethoxysilane



Class 8 (corrosive substances)

14.4 Packing group II (substance presenting medium danger)

14.5 Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regulations)

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 2735

Australia (en) Page 10 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

Proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S.

UN2735, AMINES, LIQUID, CORROSIVE, N.O.S., (3-Aminopropyltriethoxysilane), 8, II, (E) Particulars in the transport document

Class

Classification code **C7**

Packing group ΙΙ 8

Danger label(s)



Special provisions (SP) 274

Excepted quantities (EQ) E2

1 L Limited quantities (LQ)

2 Transport category (TC)

Tunnel restriction code (TRC) Ε

Hazard identification No 80

2X **Emergency Action Code**

• International Maritime Dangerous Goods Code (IMDG)

UN number

Proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S.

Particulars in the shipper's declaration UN2735, AMINES, LIQUID, CORROSIVE, N.O.S., (

3-Aminopropyltriethoxysilane), 8, II

Class 8

Marine pollutant

Packing group II

Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category Α

18 - Alkalis Segregation group

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 2735

Proper shipping name Amines, liquid, corrosive, n.o.s.

Australia (en) Page 11 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

Particulars in the shipper's declaration UN2735, Amines, liquid, corrosive, n.o.s., (3-

Aminopropyltriethoxysilane), 8, II

Class

Packing group II

Danger label(s) 8



Special provisions (SP) А3

Excepted quantities (EQ) E2

Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CICR CSCL-ENCS DSL ECSI

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

Australia (en) Page 12 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good Dangerous Goods Regulations (DGR) for the air transport (IATA) International Maritime Dangerous Goods Code (IMDG)

Australia (en) Page 13 / 14

Safe Work Australia - Code of Practice



3-Aminopropyltriethoxysilane ≥ 98%, for gas chromatography

article number: 2328

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H227	combustible liquid
H302	harmful if swallowed
H313	may be harmful in contact with skin
H314	causes severe skin burns and eye damage
H318	causes serious eye damage

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Australia (en) Page 14 / 14