

# Safety data sheet

Safe Work Australia - Code of Practice



## N,O-Bis(trimethylsilyl)-trifluoroacetamide $\geq$ 98%, for gas chromatography

article number: **2331**  
Version: **GHS 2.0 en**  
Replaces version of: 2017-01-17  
Version: (GHS 1)

date of compilation: 2017-01-17  
Revision: 2018-03-01

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance	<b>N,O-Bis(trimethylsilyl)-trifluoroacetamide</b>
Article number	2331
Registration number (REACH)	This information is not available.
EC number	247-103-9
CAS number	25561-30-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical  
laboratory and analytical use

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

**e-mail (competent person)** : [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

#### 1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification acc. to GHS

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.6	flammable liquid	(Flam. Liq. 3)	H226
3.2	skin corrosion/irritation	(Skin Corr. 1B)	H314

#### 2.2 Label elements

##### Labelling GHS

**Signal word** **Danger**

# Safety data sheet

Safe Work Australia - Code of Practice



## N,O-Bis(trimethylsilyl)-trifluoroacetamide $\geq 98\%$ , for gas chromatography

article number: 2331

### Pictograms



### Hazard statements

H226 Flammable liquid and vapour  
H314 Causes severe skin burns and eye damage

### Precautionary statements

#### **Precautionary statements - prevention**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P260 Do not breathe dusts or mists.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### **Precautionary statements - response**

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction.

#### **Precautionary statements - storage**

P403+P235 Store in a well-ventilated place. Keep cool.

#### **Labelling of packages where the contents do not exceed 125 ml**

Signal word: **Danger**

Symbol(s)



H314 Causes severe skin burns and eye damage.  
P260 Do not breathe dusts or mists.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### **2.3 Other hazards**

There is no additional information.

## **SECTION 3: Composition/information on ingredients**

### **3.1 Substances**

Name of substance	BSTFA
EC number	247-103-9
CAS number	25561-30-2
Molecular formula	$C_8H_{18}F_3NOSi_2$
Molar mass	257.4 g/mol

## N,O-Bis(trimethylsilyl)-trifluoroacetamide $\geq 98\%$ , for gas chromatography

article number: 2331

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures



##### General notes

Take off immediately all contaminated clothing.

##### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

##### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

##### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

##### Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Corrosion, Gastric perforation, Risk of blindness

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

##### Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NO<sub>x</sub>), carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

Vapours are heavier than air. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

**N,O-Bis(trimethylsilyl)-trifluoroacetamide  $\geq$  98%, for gas chromatography**

article number: 2331

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handle and open container with care. Clear contaminated areas thoroughly.

#### • Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

Ground/bond container and receiving equipment.

#### • Ventilation requirements

Use local and general ventilation.

#### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

### 7.3 Specific end use(s)

No information available.

## N,O-Bis(trimethylsilyl)-trifluoroacetamide $\geq 98\%$ , for gas chromatography

article number: 2331

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

#### 8.2 Exposure controls

##### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection. Wear face protection.

##### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### • type of material

NBR (Nitrile rubber)

##### • material thickness

0,4 mm

##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

##### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of  $> 65\text{ }^{\circ}\text{C}$ , colour code: Brown).

##### Environmental exposure controls

Keep away from drains, surface and ground water.

## N,O-Bis(trimethylsilyl)-trifluoroacetamide ≥ 98%, for gas chromatography

article number: 2331

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	liquid (fluid)
Colour	colourless - light yellow
Odour	characteristic
Odour threshold	No data available

##### Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	-10 °C
Initial boiling point and boiling range	145 °C
Flash point	24 °C (closed cup)
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
<u>Explosive limits</u>	
• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	not relevant
Vapour pressure	This information is not available.
Density	0.97 g/cm <sup>3</sup> at 20 °C
Vapour density	This information is not available.
Bulk density	Not applicable
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	no data available
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	Information on this property is not available.
Decomposition temperature	no data available
Viscosity	not determined
Explosive properties	Shall not be classified as explosive
Oxidising properties	none

#### 9.2 Other information

There is no additional information.

## N,O-Bis(trimethylsilyl)-trifluoroacetamide $\geq 98\%$ , for gas chromatography

article number: 2331

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Risk of ignition. Vapours can form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Acids, Strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Shall not be classified as acutely toxic.

##### Skin corrosion/irritation

Causes severe burns.

##### Serious eye damage/eye irritation

Causes serious eye damage.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

##### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

##### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

##### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

##### Symptoms related to the physical, chemical and toxicological characteristics

##### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

##### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

## N,O-Bis(trimethylsilyl)-trifluoroacetamide $\geq$ 98%, for gas chromatography

article number: 2331

- **If inhaled**

Irritation to respiratory tract

- **If on skin**

causes severe burns, causes poorly healing wounds

**Other information**

None

## SECTION 12: Ecological information

### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

### 12.2 Process of degradability

Theoretical Oxygen Demand with nitrification: 1.647 mg/mg

Theoretical Oxygen Demand: 1.367 mg/mg

Theoretical Carbon Dioxide: 1.368 mg/mg

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Sewage disposal-relevant information**

Do not empty into drains.

**Waste treatment of containers/packagings**

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

**Sewage disposal-relevant information**

Do not empty into drains.

**Waste treatment of containers/packagings**

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.






## N,O-Bis(trimethylsilyl)-trifluoroacetamide $\geq$ 98%, for gas chromatography

article number: 2331

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

<b>14.1</b>	UN number	<b>2920</b>
<b>14.2</b>	UN proper shipping name	<b>CORROSIVE LIQUID, FLAMMABLE, N.O.S.</b>
	Hazardous ingredients	N,O-Bis(trimethylsilyl)-trifluoroacetamide
<b>14.3</b>	Transport hazard class(es)	
	Class	8 (corrosive substances)
<b>14.4</b>	Packing group	II (substance presenting medium danger)
<b>14.5</b>	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
<b>14.6</b>	<b>Special precautions for user</b>	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7</b>	<b>Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
	The cargo is not intended to be carried in bulk.	
<b>14.8</b>	<b>Information for each of the UN Model Regulations</b>	
	<b>• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)</b>	
	UN number	2920
	Proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S.
	Particulars in the transport document	UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S., (N,O-Bis(trimethylsilyl)-trifluoroacetamide), 8 (3), II, (D/E)
	Class	8
	Classification code	CF1
	Packing group	II
	Danger label(s)	8+3
	 	
	Special provisions (SP)	274
	Excepted quantities (EQ)	E2
	Limited quantities (LQ)	1 L
	Transport category (TC)	2
	Tunnel restriction code (TRC)	D/E
	Hazard identification No	83
	<b>Emergency Action Code</b>	<b>3W</b>

# Safety data sheet

Safe Work Australia - Code of Practice



## N,O-Bis(trimethylsilyl)-trifluoroacetamide $\geq 98\%$ , for gas chromatography

article number: 2331

### • International Maritime Dangerous Goods Code (IMDG)

UN number	2920
Proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S.
Particulars in the shipper's declaration	UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S., (N,O-Bis(trimethylsilyl)-trifluoroacetamide), 8 (3), II, 24°C c.c.
Class	8
Subsidiary risk(s)	3
Marine pollutant	-
Packing group	II
Danger label(s)	8+3



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-C
Stowage category	C

### • International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	2920
Proper shipping name	Corrosive liquid, flammable, n.o.s.
Particulars in the shipper's declaration	UN2920, Corrosive liquid, flammable, n.o.s., (N,O-Bis(trimethylsilyl)-trifluoroacetamide), 8 (3), II
Class	8
Subsidiary risk(s)	3
Packing group	II
Danger label(s)	8+3



Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

## N,O-Bis(trimethylsilyl)-trifluoroacetamide ≥ 98%, for gas chromatography

article number: 2331

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
CN	IECSC	substance is listed
EU	ECSI	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed

##### Legend

ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
NZIoC	New Zealand Inventory of Chemicals
TCSI	Taiwan Chemical Substance Inventory

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

### SECTION 16: Other information

#### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1	Remarks: For full text of Hazard- and EU Hazard-statements: see SECTION 16.		yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
14.3	Transport hazard class(es)	Transport hazard class(es): class 8 hazard - corrosive substances	yes
14.8		Marine pollutant: -	yes
14.8	Packing group: II8+3	Packing group: II	yes
14.8		Danger label(s): 8+3	yes
14.8	Special provisions (SP): 274		yes

## N,O-Bis(trimethylsilyl)-trifluoroacetamide ≥ 98%, for gas chromatography

article number: 2331

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
vPvB	very Persistent and very Bioaccumulative

### Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	flammable liquid and vapour
H314	causes severe skin burns and eye damage

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.