according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Conductivity Standard 500000 µS/cm (25 °C)

article number: **2467** date of compilation: 2015-10-02 Version: **1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Conductivity Standard

Article number 2467

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS

Section	Hazard class	Hazard class and cat- egory	Hazard state- ment
2.16	corrosive to metals	(Met. Corr. 1)	H290
3.2	skin corrosion/irritation	(Skin Irrit. 2)	H315
3.3	serious eye damage/eye irritation	(Eye Irrit. 2)	H319
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	(STOT SE 3)	H335

United Kingdom (en) Page 1 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

Remarks

For full text of H-phrases: see SECTION 16.

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms





Hazard statements

H290 May be corrosive to metals.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/eye protection.

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

Hazardous ingredients for labelling: hydrochloric acid

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)





contains: Hydrochloric acid

2.3 Other hazards

There is no additional information.

United Kingdom (en) Page 2 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture

Composition/information on ingredients.

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
hydrochloric acid	EC No 231-595-7	< 25	Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318	
	Index No 017-002-01-X		STOT SE 3 / H335	, v

Remarks

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Causes tears, Conjunctival redness of the eyes, Conjunctival oedema (chemosis) of the eyes, Conjunctival suffusion, Conjunctivitis (pink eye), Irritation,

Following skin contact: Localised redness, oedema, pruritis and/or pain, Causes slight to moderate irritation.

After ingestion: Sore throat, Malaise, Vomiting, Irritant effects,

Following inhalation: Cough, pain, choking, and breathing difficulties

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water iet

5.2 Special hazards arising from the substance or mixture

None.

Hazardous combustion products

In case of fire may be liberated: hydrogen chloride (HCl), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Special protective equipment for firefighters

Protective clothing against liquid and gaseous chemicals, including liquid aerosols and solid particles. Self-contained breathing apparatus (SCBA). Self-contained breathing apparatus (EN 133).

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Provision of sufficient ventilation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

not relevant

8.2 Exposure controls

Individual protection measures (personal protective equipment)







Eve/face protection

Use safety goggle with side protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

· type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm.

United Kingdom (en) Page 5 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: C (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid (fluid)
Colour colourless
Odour odourless

Odour threshold No data available

Other physical and chemical parameters

pH (value) This information is not available.

Melting point/freezing point not determined

Initial boiling point and boiling range 100 °C

Flash point not determined

Evaporation rate no data available

Flammability (solid, gas) not relevant (fluid)

Explosive limits

lower explosion limit (LEL)
 upper explosion limit (UEL)
 this information is not available

Explosion limits of dust clouds not relevant

Vapour pressure This information is not available.

Density $1,01 \, {}^{9}/_{cm^3}$

Vapour density This information is not available.

Bulk density Not applicable

Relative density Information on this property is not available.

United Kingdom (en) Page 6 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

Solubility(ies)

Water solubility no data available

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature Information on this property is not available.

Decomposition temperature no data available
Viscosity not determined

Explosive properties none
Oxidising properties none

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

corrosive to metals

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

<u>Violent reaction with:</u> Alkali (lye), concentrated, Alkali metals, Alkaline earth metal, Metal powder, Strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

United Kingdom (en) Page 7 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

May cause respiratory irritation.

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

iritis, conjunctival suffusion, conjunctivitis (pink eye), Causes serious eye irritation

• If inhaled

cough, pain, choking, and breathing difficulties

• If on skin

causes skin irritation

Other information

None.

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

12.2 Process of degradability

The substance is readily biodegradable.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Slightly hazardous to water.

United Kingdom (en) Page 8 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	1789
14.2	UN proper shipping name	HYDROCHLORIC ACID
	Hazardous ingredients	Hydrochloric acid
14.3	Transport hazard class(es)	
	Class	8 (corrosive substances)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)

14.6 Special precautions for user

UN number

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

or name.	1705
Proper shipping name	HYDROCHLORIC ACID
Particulars in the transport document	UN1789, HYDROCHLORIC ACID, mixture, 8, III, (E)
Class	8
Classification code	C1
Packing group	III
Danger label(s)	8

1789

United Kingdom (en) Page 9 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467



Special provisions (SP) 520

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 80

• International Maritime Dangerous Goods Code (IMDG)

UN number 1789

Proper shipping name HYDROCHLORIC ACID

Particulars in the shipper's declaration UN1789, HYDROCHLORIC ACID, mixture, 8, III

Class 8
Packing group III
Danger label(s) 8



Special provisions (SP) 223

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category C

SECTION 15: Regulatory information

Segregation group

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

1 - Acids

- Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) None of the ingredients are listed.
- Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS) None of the ingredients are listed.

United Kingdom (en) Page 10 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

Regulation 850/2004/EC on persistent organic pollutants (POP)

None of the ingredients are listed.

• Restrictions according to REACH, Annex XVII

None of the ingredients are listed.

List of substances subject to authorisation (REACH, Annex XIV)

None of the ingredients are listed.

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 0 %

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 0 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EmS	Emergency Schedule
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
Met. Corr.	corrosive to metals

United Kingdom (en) Page 11 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Conductivity Standard 500000 µS/cm (25 °C)

article number: 2467

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STOT SE	specific target organ toxicity - single exposure
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	may be corrosive to metals
H314	causes severe skin burns and eye damage
H315	causes skin irritation
H318	causes serious eye damage
H319	causes serious eye irritation
H335	may cause respiratory irritation

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 12 / 12