

# Safety data sheet

Safe Work Australia - Code of Practice



## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**  
Version: **GHS 2.0 en**  
Replaces version of: 2016-03-17  
Version: (GHS 1)

date of compilation: 2016-03-17  
Revision: 2019-03-29

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Silicone oil</b>
Article number	7844
Registration number (REACH)	The substance does not require registration according to Regulation (EC) No 1907/2006 [REACH]
EC number	none
CAS number	63148-62-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical  
laboratory and analytical use

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

**e-mail (competent person)** : [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.6	flammable liquid	(Flam. Liq. 4)	H227

### 2.2 Label elements

Labelling GHS

Signal word      **Warning**

# Safety data sheet

Safe Work Australia - Code of Practice



## Silicone oil M 5 low viscosity, 5 cSt

article number: 7844

### Hazard statements

H227 Combustible liquid

### Precautionary statements

#### Precautionary statements - prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statements - response

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction.

#### Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool.

#### Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant.

### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Warning**

H227 Combustible liquid.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container to industrial combustion plant.

### 2.3 Other hazards

There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Polydimethylsiloxane
Registration number (REACH)	The substance is exempted from the obligation to register
CAS number	63148-62-9
Molecular formula	(C <sub>2</sub> H <sub>6</sub> OSi) <sub>n</sub>
Molar mass	74.15 g/mol

### Impurities and additives, classification acc. to EU regulation

Name of substance	Identifier	Wt%	Classification acc. to 1272/2008/EC
Dodecamethylcyclohexasiloxane	CAS No 540-97-6  EC No 208-762-8  REACH Reg. No 01-2119517435-42-xxxx	≥ 0.1 – ≤ 3	

# Safety data sheet

Safe Work Australia - Code of Practice



## Silicone oil M 5 low viscosity, 5 cSt

article number: 7844

Name of substance	Identifier	Wt%	Classification acc. to 1272/2008/EC
Decamethylcyclopentasiloxane	CAS No 541-02-6  EC No 208-764-9  REACH Reg. No 01-2119511367-43-xxxx	≥ 0.1 – ≤ 3	
Octamethylcyclotetrasiloxane	CAS No 556-67-2  EC No 209-136-7  Index No 014-018-00-1  REACH Reg. No 01-2119529238-36-xxxx	≥ 0.1 – ≤ 1	Flam. Liq. 3 / H226 Repr. 2 / H361f Aquatic Chronic 4 / H413

### Substance of Very High Concern (SVHC)

Name of substance	CAS No	Wt%	Listed in	Remarks
Dodecamethylcyclohexasiloxane	540-97-6	3	Candidate list	PBT A57d vPvB A57e
Decamethylcyclopentasiloxane	541-02-6	3	Candidate list	PBT A57d vPvB A57e
Octamethylcyclotetrasiloxane	556-67-2	1	Candidate list	PBT A57d vPvB A57e

#### Legend

Candidate list  
PBT A57d  
vPvB A57e

Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV  
Persistent, Bioaccumulative and Toxic (article 57d)  
Very Persistent and very Bioaccumulative (article 57e)

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

# Safety data sheet

Safe Work Australia - Code of Practice



## Silicone oil M 5 low viscosity, 5 cSt

article number: 7844

### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints, Diarrhoea

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Heating may cause a fire or explosion. Vapours can form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Special danger of slipping by leaking/spilling product. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### • Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

##### • Ventilation requirements

Use local and general ventilation.

##### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

#### Relevant DNELs/DMELs/PNECs and other threshold levels

##### • relevant DNELs of components of the mixture

## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Dodecamethylcyclohexasiloxane	540-97-6	DNEL	11 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dodecamethylcyclohexasiloxane	540-97-6	DNEL	1.22 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Dodecamethylcyclohexasiloxane	540-97-6	DNEL	6.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Decamethylcyclopentasiloxane	541-02-6	DNEL	97.3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Decamethylcyclopentasiloxane	541-02-6	DNEL	97.3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Decamethylcyclopentasiloxane	541-02-6	DNEL	24.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Decamethylcyclopentasiloxane	541-02-6	DNEL	24.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

### • relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Dodecamethylcyclohexasiloxane	540-97-6	PNEC	1 mg/l	sewage treatment plant (STP)	short-term (single instance)
Dodecamethylcyclohexasiloxane	540-97-6	PNEC	13 mg/kg	freshwater sediment	short-term (single instance)
Dodecamethylcyclohexasiloxane	540-97-6	PNEC	1.3 mg/kg	marine sediment	short-term (single instance)
Dodecamethylcyclohexasiloxane	540-97-6	PNEC	3.77 mg/kg	soil	short-term (single instance)
Decamethylcyclopentasiloxane	541-02-6	PNEC	1.2 µg/l	freshwater	short-term (single instance)
Decamethylcyclopentasiloxane	541-02-6	PNEC	0.12 µg/l	marine water	short-term (single instance)
Decamethylcyclopentasiloxane	541-02-6	PNEC	10 mg/l	sewage treatment plant (STP)	short-term (single instance)
Decamethylcyclopentasiloxane	541-02-6	PNEC	11 mg/kg	freshwater sediment	short-term (single instance)
Decamethylcyclopentasiloxane	541-02-6	PNEC	1.1 mg/kg	marine sediment	short-term (single instance)
Decamethylcyclopentasiloxane	541-02-6	PNEC	1.27 mg/kg	soil	short-term (single instance)

## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Octamethylcyclotetrasiloxane	556-67-2	PNEC	1.5 µg/l	freshwater	short-term (single instance)
Octamethylcyclotetrasiloxane	556-67-2	PNEC	0.15 µg/l	marine water	short-term (single instance)
Octamethylcyclotetrasiloxane	556-67-2	PNEC	10 mg/l	sewage treatment plant (STP)	short-term (single instance)
Octamethylcyclotetrasiloxane	556-67-2	PNEC	3 mg/kg	freshwater sediment	short-term (single instance)
Octamethylcyclotetrasiloxane	556-67-2	PNEC	0.3 mg/kg	marine sediment	short-term (single instance)
Octamethylcyclotetrasiloxane	556-67-2	PNEC	0.54 mg/kg	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



- **hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### Respiratory protection



## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown). Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid (viscous)
Colour	colourless
Odour	odourless
Odour threshold	No data available

#### Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	-100 °C
Initial boiling point and boiling range	This information is not available.
Flash point	120 °C
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
<u>Explosive limits</u>	
• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	not relevant
Vapour pressure	This information is not available.
Density	0.92 – 0.93 g/cm <sup>3</sup> at 25 °C
Vapour density	This information is not available.
Bulk density	Not applicable
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water
Solubility in hydrocarbons, aliphatic	soluble
Solubility in hydrocarbons, aromatic	soluble
Solubility in ethylene glycol	practically insoluble
Solubility in ethyl acetate	soluble
Solubility in toluene	soluble



## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

Solubility in trichloroethylene	soluble
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	>350 °C
Decomposition temperature	>150 °C
Viscosity	
• kinematic viscosity	4.5 – 5.5 mm <sup>2</sup> /s at 25 °C
Explosive properties	Shall not be classified as explosive
Oxidising properties	none

### 9.2 Other information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

In case of warming: Vapours can form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >150 °C.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	>5,000 mg/kg	rat	TOXNET

#### • Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Dodecamethylcyclhexasiloxane	540-97-6	oral	2,000 mg/kg
Dodecamethylcyclhexasiloxane	540-97-6	dermal	2,000 mg/kg
Decamethylcyclopentasiloxane	541-02-6	inhalation: vapour	25 mg/l/4h
Decamethylcyclopentasiloxane	541-02-6	inhalation: dust/mist	8.67 mg/l/4h

# Safety data sheet

Safe Work Australia - Code of Practice



## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

Name of substance	CAS No	Exposure route	ATE
Octamethylcyclotetrasiloxane	556-67-2	oral	4,800 mg/kg

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

#### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

diarrhoea, gastrointestinal complaints

#### • If in eyes

data are not available

#### • If inhaled

data are not available

#### • If on skin

data are not available

### Other information

None

## SECTION 12: Ecological information

### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

#### Aquatic toxicity (acute) of components of the mixture

## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Dodecamethylcyclohexasiloxane	540-97-6	ErC50	>2 µg/l	algae	72 h
Dodecamethylcyclohexasiloxane	540-97-6	EC50	>2 µg/l	algae	72 h
Decamethylcyclopentasiloxane	541-02-6	LC50	>16 µg/l	fish	96 h
Decamethylcyclopentasiloxane	541-02-6	EC50	>2.9 µg/l	aquatic invertebrates	48 h
Octamethylcyclotetrasiloxane	556-67-2	LC50	>22 µg/l	fish	96 h
Octamethylcyclotetrasiloxane	556-67-2	EC50	>15 µg/l	aquatic invertebrates	48 h
Octamethylcyclotetrasiloxane	556-67-2	ErC50	>22 µg/l	algae	96 h

### Aquatic toxicity (chronic)

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Dodecamethylcyclohexasiloxane	540-97-6	EC50	>100 mg/l	microorganisms	3 h
Decamethylcyclopentasiloxane	541-02-6	EC50	>15 µg/l	aquatic invertebrates	21 d
Octamethylcyclotetrasiloxane	556-67-2	EC50	>15 µg/l	aquatic invertebrates	21 d

## 12.2 Process of degradability

Not readily biodegradable.

#### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Dodecamethylcyclohexasiloxane	540-97-6	carbon dioxide generation	4.47 %	28 d
Decamethylcyclopentasiloxane	541-02-6	carbon dioxide generation	0.14 %	28 d
Octamethylcyclotetrasiloxane	556-67-2	carbon dioxide generation	3.7 %	29 d

## 12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion. Data are not available.

## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dodecamethylcyclohexasiloxane	540-97-6	1,160	8.87 (23.6 °C)	
Decamethylcyclopentasiloxane	541-02-6	7,060	8.023 (25.3 °C)	
Octamethylcyclotetrasiloxane	556-67-2	12,400	6.488 (25.1 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

### Endocrine disrupting potential

Name of substance	CAS No	Combined category	Human health category	Wildlife category
Octamethylcyclotetrasiloxane	556-67-2	CAT1	CAT1	CAT3b

#### Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals  
 CAT3b Category 3b - no evidence of endocrine disruption or no data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Sewage disposal-relevant information

Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

### SECTION 14: Transport information

- 14.1** UN number (not subject to transport regulations)
- 14.2** UN proper shipping name not relevant
- 14.3** Transport hazard class(es) not relevant  
Class -
- 14.4** Packing group not relevant not assigned to a packing group
- 14.5** Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regulations)
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**  
The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations**
- **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**  
Not subject to ADR, RID and ADN.
  - **International Maritime Dangerous Goods Code (IMDG)**  
Not subject to IMDG.
  - **International Civil Aviation Organization (ICAO-IATA/DGR)**  
Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National inventories

Country	National inventories	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Flam. Liq.	flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008

# Safety data sheet

Safe Work Australia - Code of Practice



## Silicone oil M 5 low viscosity, 5 cSt

article number: **7844**

Abbr.	Descriptions of used abbreviations
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
vPvB	very Persistent and very Bioaccumulative

### Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	flammable liquid and vapour
H227	combustible liquid
H361f	suspected of damaging fertility
H413	may cause long lasting harmful effects to aquatic life

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.