Safe Work Australia - Code of Practice





article number: 9712 Version: GHS 2.0 en Replaces version of: 2018-09-06 Version: (GHS 1)

4 4

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1	Product identifier					
	Identification of the substance	p-Nitrotoluene				
	Article number	9712				
	Registration number (REACH)	It is not required to list the identified uses be- cause the substance is not subject to registration according to REACH (< 1 t/a)				
	Index No	609-006-00-3				
	EC number	202-808-0				
	CAS number	99-99-0				
1.2 Relevant identified uses of the substance or mixture and uses advised against						
	Identified uses:	laboratory chemical laboratory and analytical use				

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment sheet

### e-mail (competent person)

### : sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Informa- tion Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

### Emergency information service

### Poison Centre Munich: +49/(0)89 19240

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

date of compilation: 2018-09-06 Revision: 2019-04-29

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

### article number: 9712

### **Classification acc. to GHS**

L					
L	Classif	ication	200	to	CUC
L	Classil	cation	αιι.	ιυ	впр

Section	Hazard class	Hazard class and cat- egory	Hazard state- ment			
3.10	acute toxicity (oral)	(Acute Tox. 4)	H302			
3.1D	acute toxicity (dermal)	(Acute Tox. 3)	H311			
3.1I	acute toxicity (inhal.)	(Acute Tox. 3)	H331			
3.9	specific target organ toxicity - repeated exposure	(STOT RE 2)	H373			
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 2)	H411			

### 2.2 Label elements

### Labelling GHS

Signal word

Danger

## Pictograms

GHS06, GHS08,

GHS09



### Hazard statements

H302	Harmful if swallowed
H311+H331	Toxic in contact with skin or if inhaled
H373	May cause damage to organs (liver, testes) through prolonged or repeated ex-
	posure
H411	Toxic to aquatic life with long lasting effects

### **Precautionary statements**

#### **Precautionary statements - prevention**

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing.

### **Precautionary statements - response**

P302+P352 P304+P340	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfort- able for breathing.
P311	Call a POISON CENTER or doctor/physician.
P361	Remove/take off immediately all contaminated clothing.
P391	Collect spillage.

#### **Precautionary statements - storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

### **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant.

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

### article number: 9712



H311+H331 Toxic in contact with skin or if inhaled.

P280	Wear protective gloves/protective clothing.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P311	Call a POISON CENTER or doctor/physician.
P361	Remove/take off immediately all contaminated clothing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to industrial combustion plant.

### 2.3 Other hazards

There is no additional information.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance	p-Nitrotoluene
Index No	609-006-00-3
EC number	202-808-0
CAS number	99-99-0
Molecular formula	$C_7H_7NO_2$
Molar mass	137.1 <sup>g</sup> / <sub>mol</sub>

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### **Following inhalation**

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. In case of extensive skin contact serious poisoning possible. Call a physician in any case.

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Cardiac arrhythmias, Headache, Vomiting, Spasms, Dyspnoea, Methaemoglobinaemia, Blood pressure drop, Cyanosis (blue coloured blood)

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

article number: 9712

# **4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Vapours are heavier than air.

#### Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing. Do not allow firefighting water to enter drains or water courses.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid dust formation. Do not breathe dust. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Provide adequate ventilation.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

### Advices on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

article number: 9712

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid dust formation. Handle and open container with care. Clear contaminated areas thoroughly.

### Advice on general occupational hygiene

Thorough skin-cleansing after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice

Store locked up.

### • Ventilation requirements

Use local and general ventilation.

### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun- try	Name of agent	CAS No	Nota- tion	Identifier	TWA [mg/m³]	STEL [mg/m³]	Source
AU	4-nitrotoluene	99-99-0		WES	11		WES

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

minute period (unless otherwise specified)
 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### 8.2 Exposure controls

Individual protection measures (personal protective equipment)

#### **Eye/face protection**



Use safety goggle with side protection.

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

article number: 9712

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	solid (crystalline)
Colour	yellow
Odour	characteristic
Odour threshold	No data available
Other physical and chemical parameters	
pH (value)	This information is not available.
Melting point/freezing point	52 – 54 °C
Initial boiling point and boiling range	238 – 240 °C
Flash point	103 °C at 1,013 hPa
Evaporation rate	no data available
Flammability (solid, gas)	These information are not available

Safe Work Australia - Code of Practice

### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

#### article number: 9712

Explosive limits	
<ul> <li>lower explosion limit (LEL)</li> </ul>	1.6 vol%
<ul> <li>upper explosion limit (UEL)</li> </ul>	this information is not available
Explosion limits of dust clouds	these information are not available
Vapour pressure	<0.2 hPa at 20 °C
Density	1.1 – 1.2 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Vapour density	This information is not available.
Relative density	Information on this property is not available.
Solubility(ies)	
Water solubility	<0.5 <sup>g</sup> / <sub>l</sub> at 20 °C
Partition coefficient	
n-octanol/water (log KOW)	2.37 (25 °C) (ECHA)
Auto-ignition temperature	>450 °C
Decomposition temperature	no data available
Viscosity	not relevant (solid matter)
Explosive properties	Shall not be classified as explosive
Oxidising properties	none

### 9.2 Other information

There is no additional information.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

If heated: Vapours can form explosive mixtures with air, Dust explosibility

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali, Strong oxidiser, Ammonia (NH3), Strong acid, Reducing agents, Sulphur trioxide, => Explosive properties

### 10.4 Conditions to avoid

Keep away from heat.

### **10.5** Incompatible materials

plastic and rubber

### **10.6** Hazardous decomposition products

Hazardous combustion products: see section 5.



Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

### article number: 9712

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Exposure route	Endpoint	Value	Species	Source
oral	LD50	1,960 <sup>mg</sup> / <sub>kg</sub>	rat	TOXNET
dermal	LD50	>16,000 <sup>mg</sup> / <sub>kg</sub>	rabbit	TOXNET

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### • Specific target organ toxicity - repeated exposure

May cause damage to organs (liver, testes) through prolonged or repeated exposure.

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

data are not available

### • If in eyes

causes slight to moderate irritation

### • If inhaled

irritant effects, headache

### • If on skin

causes slight to moderate irritation, risk of absorption via the skin

### **Other information**

Other adverse effects: Cardiac arrhythmias. Dyspnoea. Blood pressure drop. Spasms. Methaemoglobinaemia. Cyanosis (blue coloured blood).

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

### article number: 9712

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

### Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
EC50	4.2 <sup>mg</sup> / <sub>l</sub>	daphnia magna	ECHA	48 h
ErC50	22 <sup>mg</sup> / <sub>l</sub>	Chlorella pyrenoidosa	ECHA	96 h

### Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

Endpoint	Value	Species	Source	Exposure time
EC50	5 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	15 min

### 12.2 Process of degradability

Theoretical Oxygen Demand with nitrification: 2.042 <sup>mg</sup>/<sub>mg</sub> Theoretical Oxygen Demand: 1.633 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2.246 mg/mg

Process	Degradation rate	Time
DOC removal	94 %	15 d
oxygen depletion	0.8 %	14 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2.37 (25 °C)
BCF	39.26
Mobility in soil	
Henry's law constant	2.38 <sup>Pa m³</sup> / <sub>mol</sub> a

# 12.4

້/<sub>mol</sub> at 25 °C 2.38 Pan

#### 12.5 **Results of PBT and vPvB assessment**

Data are not available.

## 12.6 Other adverse effects

Data are not available.

### **Endocrine disrupting potential**

Name of substance	CAS No	Combined cat- egory	Human health category	Wildlife cat- egory
p-Nitrotoluene	99-99-0	CAT1	CAT1	CAT3
Legend				

CAT1 CAT3

Category 1 - evidence of endocrine disruption in at least one species using intact animals Category 3 - no evidence of endocrine disruption or no data available

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

### article number: **9712**

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

### 14.1 UN number

Class

14.4 Packing group

14.5 Environmental hazards

**14.2** UN proper shipping name

Hazardous ingredients

14.3 Transport hazard class(es)

# 3446

### NITROTOLUENES, SOLID

p-Nitrotoluene



6.1 (toxic substances)

II (substance presenting medium danger)

hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

article number: 9712

UN number	3446
Proper shipping name	NITROTOLUENES, SOLID
Particulars in the transport document	UN3446, NITROTOLUENES, SOLID, 6.1, II, (D/E), environmentally hazardous
Class	6.1
Classification code	T2
Packing group	П
Danger label(s)	6.1 + "fish and tree"
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	802(ADN)
Excepted quantities (EQ)	E4
Limited quantities (LQ)	500 g
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	60
Emergency Action Code	2X
• International Maritime Dangerous Goods C	ode (IMDG)
UN number	3446
Proper shipping name	NITROTOLUENES, SOLID
Particulars in the shipper's declaration	UN3446, NITROTOLUENES, SOLID, 6.1, II, MAR- INE POLLUTANT
Class	6.1
Marine pollutant	yes (P) (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	6.1 + "fish and tree"
Special provisions (SP)	-
Excepted quantities (EQ)	E4
Limited quantities (LQ)	500 g
EmS	F-A, S-A
Stowage category	A
• International Civil Aviation Organization (I	CAO-IATA/DGR)

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

### article number: 9712

UN number	3446
Proper shipping name	Nitrotoluenes, solid
Particulars in the shipper's declaration	UN3446, Nitrotoluenes, solid, 6.1, II
Class	6.1
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	6.1
Excepted quantities (EQ)	E4
Limited quantities (LQ)	1 kg

### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

### National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

LegenaAICSAustralian Inventory of Chemical SubstancesCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical Substances Produced or Imported in ChinaKECIKorea Existing Chemicals InventoryNZIoCNew Zealand Inventory of Chemicals and Chemical SubstancesPICCSPhilippine Inventory of Chemicals and Chemical SubstancesREACH Reg.REACH registered substancesTCSITaiwan Chemical Substance Inventory TCSI TSCA Taiwan Chemical Substance Inventory **Toxic Substance Control Act** 

#### 15.2 Chemical Safety Assessment

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

article number: 9712

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne conatminants

### Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good Dangerous Goods Regulations (DGR) for the air transport (IATA) International Maritime Dangerous Goods Code (IMDG) -
- -
- -

Safe Work Australia - Code of Practice



### p-Nitrotoluene ROTI®CALIPURE Melting point standard 52-54 °C

article number: 9712

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	harmful if swallowed
H311	toxic in contact with skin
H331	toxic if inhaled
H373	may cause damage to organs (liver, testes) through prolonged or repeated exposure
H411	toxic to aquatic life with long lasting effects

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.