Safe Work Australia - Code of Practice

ROTH

Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: **9934** date of compilation: 2016-08-22 Version: **GHS 1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Trimethylsulfonium hydroxide in Methanol

Article number 9934

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS

Section	Hazard class	Hazard class and cat- egory	Hazard state- ment
3.8	specific target organ toxicity - single exposure	(STOT SE 1)	H370

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Australia (en) Page 1 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

Pictograms



Hazard statements

H370 Causes damage to organs.

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Precautionary statements - response

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H370 Causes damage to organs.

P270 Do not eat, drink or smoke when using this product.

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture

Composition/information on ingredients.

Name of sub- stance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Specific Conc. Limits
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X REACH Reg. No 01-2119433307- 44-xxxx	≥ 50	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370		STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %

Australia (en) Page 2 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

In case of extensive skin contact serious poisoning possible. Call a physician in any case.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Conjunctival redness of the eyes, Conjunctival oedema (chemosis) of the eyes, Conjunctivitis (pink eye),

After ingestion: Malaise, Dizziness, Risk of blindness, Narcotic effects, Vomiting, Large doses may result in coma and death, Headaches and dizziness may occur, proceeding to fainting or unconsciousness,

Following skin contact: Localised redness,

Following inhalation: Cough

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Australia (en) Page 3 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

Hazardous combustion products

In case of fire may be liberated: May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

• Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

• Warning

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Australia (en) Page 4 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

Consideration of other advice

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 4 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country		CAS No	Nota- tion	Identifi- er	TWA [pp m]	TWA [mg/m	STEL [pp m]	STEL [mg/m ³]	Source
AU	methyl alcohol (methan- ol)	67-56-1		WES	200	262	250	328	WES

Notation

TWA

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average

8.2 Exposure controls

Individual protection measures (personal protective equipment)







Eye/face protection

Use safety goggle with side protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm.

breakthrough times of the glove material

>480 minutes (permeation: level 6)

Australia (en) Page 5 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid (fluid)
Colour colourless
Odour like: alcohol

Odour threshold No data available

Other physical and chemical parameters

pH (value) This information is not available.

Melting point/freezing point -97.8 °C

Initial boiling point and boiling range 64.7 °C at 1,013 hPa

Flash point 11 °C

Evaporation rate no data available Flammability (solid, gas) not relevant (fluid)

Explosive limits

lower explosion limit (LEL)
 upper explosion limit (UEL)
 44 vol%
 Explosion limits of dust clouds
 not relevant

Vapour pressure 169.3 hPa at 25 °C

Density 0.79 g/_{cm³} at 20 °C

Vapour density 1.11 (air = 1)

Bulk density Not applicable

Relative density Information on this property is not available.

Solubility(ies)

Water solubility miscible in any proportion

Australia (en) Page 6 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature 455 °C

Decomposition temperature no data available
Viscosity not determined

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Nitric acid, Sulphuric acid, Strong oxidiser, Hydrogen peroxide, Dangerous/dangerous reactions with: Mineral acids, Reducing agents, Acids

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

aluminium, iron, zinc

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

Australia (en) Page 7 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

Specific target organ toxicity - single exposure

Causes damage to organs.

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, risk of blindness, nausea, large doses may result in coma and death

• If in eyes

conjunctivitis (pink eye), causes slight to moderate irritation

• If inhaled

severe headache, cough

• If on skin

pruritis, localised redness, risk of absorption via the skin, large doses may result in coma and death

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

12.2 Process of degradability

The substance is readily biodegradable.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

Australia (en) Page 8 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	1230
14.2	UN proper shipping name	METHANOL
	Hazardous ingredients	Methanol
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	NONE (non-environmentally hazardous acc. to the dangerous goods regulations)

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 1230
Proper shipping name METHANOL

Particulars in the transport document UN1230, METHANOL, 3 (6.1), II, (D/E)

Class 3
Classification code FT1
Packing group II
Danger label(s) 3+6.1

Australia (en) Page 9 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934



Special provisions (SP) 279, 802(ADN)

Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L Transport category (TC) 2 Tunnel restriction code (TRC) D/E Hazard identification No 336 **Emergency Action Code** 2WE

• International Maritime Dangerous Goods Code (IMDG)

UN number 1230

Proper shipping name **METHANOL**

Particulars in the shipper's declaration UN1230, METHANOL, 3 (6.1), II, 11°C c.c.

Class 3 6.1 Subsidiary risk(s) Packing group II

Danger label(s) 3+6.1



Stowage category



Special provisions (SP) 279 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L **EmS** F-E, S-D

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

В

 Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) None of the ingredients are listed.

Australia (en) Page 10 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

• Regulation 850/2004/EC on persistent organic pollutants (POP)

None of the ingredients are listed.

• Restrictions according to REACH, Annex XVII

None of the ingredients are listed.

• List of substances subject to authorisation (REACH, Annex XIV)

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes	
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)	

Notation

- 41) Category 2, all exposure routes
 - category 3, inhalation exposure route
- Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 100 %

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 100 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Australia (en) Page 11 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Flam. Liq.	flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
STOT SE	specific target organ toxicity - single exposure
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne conatminants

Key literature references and sources for data

Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

Australia (en) Page 12 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Trimethylsulfonium hydroxide in Methanol ~0,2 M

article number: 9934

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	highly flammable liquid and vapour
H301	toxic if swallowed
H311	toxic in contact with skin
H331	toxic if inhaled
H370	causes damage to organs

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Australia (en) Page 13 / 13