

according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Scharlau

Revision: 04.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade
- · Article number: AC2114
- · Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
- Product category PC21 Laboratory chemicals

#### · Process category

PROC5 Mixing or blending in batch processes

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC15 Use as laboratory reagent

· Application of the substance / the preparation: Laboratory reagent

1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Scharlab, S.L.
 C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa
 08181 Sentmenat (Barcelona) SPAIN
 Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65
 email: scharlab@scharlab.com
 Internet Web Site: www.scharlab.com

# • Regional representation:

Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

· Further information obtainable from: technical department

· 1.4 Emergency telephone number:

Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

# **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

- Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Scharlau

# Safety data sheet


according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade

(Contd. of page 1)



# **SECTION 3: Composition/information on ingredients**

- 3.2 Chemical characterisation: Mixtures
- · Description: Aqueous solution
- Dangerous components:

CAS: 7664-93-9

sulphuric acid Skin Corr. 1A, H314 50-100%

EINECS: 231-639-5 Reg.nr.: 01-2119458838-20-XXXX

Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade

(Contd. of page 2)

• **4.3** Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 7664-93-9 sulphuric acid

WEL Long-term value: 0.05\* mg/m<sup>3</sup> \*mist: defined as thoracic fraction

(Contd. on page 4)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eve protection:



Tightly sealed goggles

#### **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information
- Appearance:
- Form: Colour:
- **Odour:**
- Odour threshold:
- · pH-value:

- Fluid Colourless Strong Not determined. Not determined.
- Change in condition Melting point/freezing point: Initial boiling point and boiling range: 295 °C
- · Flash point:
- · Flammability (solid, gas):
- Undetermined.
- Not applicable.
- Not applicable.



according to 1907/2006/EC, Article 31 (REACH)

a da mamaa Quilturia a sid QCQ/ Ultratura a Q	
ade name: Sulfuric acid, 96%, Ultratrace®,	, ppb-trace analysis grade
the second	(Contd. of page
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
• Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure at 20 °C:	<0.01 hPa
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	1.8148 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined.
Solvent content: Organic solvents: Water:	0.0 % 3.0 %
Solids content: • 9.2 Other information	97.0 % No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade

(Contd. of page 5)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

# **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- · ADR
- · IMDG, IATA
- 14.3 Transport hazard class(es)
- ADR, IMDG, IATA



- · Class
- · Label
- · 14.4 Packing group
- · ADR, IMDG, IATA
- 14.5 Environmental hazards:
- Marine pollutant:
- 14.6 Special precautions for user

UN1830

1830 SULPHURIC ACID SULPHURIC ACID

8 Corrosive substances. 8

No

Warning: Corrosive substances.

(Contd. on page 7)





according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade				
the	(Contd. of page 6)			
Danger code (Kemler):	80			
· EMS Number:	F-A,S-B			
Segregation groups	Acids			
Stowage Category	.EC			
· Stowage Code	SW15 For metal drums, stowage category B.			
• 14.7 Transport in bulk according to A				
of Marpol and the IBC Code	Not applicable.			
Transport/Additional information:				
· ADR				
Limited quantities (LQ)	1L			
· Transport category	2			
Tunnel restriction code	E			
· UN "Model Regulation":	UN 1830 SULPHURIC ACID, 8, II			

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H314 Causes severe skin burns and eye damage.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Department issuing SDS: product safety department
- · Contact: msds@scharlab.com
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- Skin Corr. 1A: Skin corrosion/irritation Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 8)





according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade

(Contd. of page 7)

# Annex: Exposure scenario 1

- · 1 Short title of the exposure scenario Industrial use
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category PC21 Laboratory chemicals
- Process category PROC15 Use as laboratory reagent
- · Environmental release category
- ERC2 Formulation into mixture
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) • Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- · 2 Conditions of use
- Duration and frequency 5 workdays/week.
- Emission days (days/year): 300
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Used amount per time or activity 300000 tons per year
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure
- Avoid contact with eyes.
- Avoid contact with the skin.
- · Other operational conditions affecting consumer exposure No special measures required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures
- Provide Internal Plant Instruction.
- Ensure that activities are executed by specialists or authorised personnel only.

Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.

• **Technical protective measures** Only handle and refill product in closed systems. Use only in well ventilated areas.

- Ensure that suitable extractors are available on processing machines
- · Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes. Tightly sealed goggles

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- Air The exhaust air is lead to a scrubber

(Contd. on page 9)





Safety data sheet according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade

(Contd. of page 8)

	(Contd. of page 8)
· Water	
Generally, prior to the introduction of wastewater into wastewater treatment plants	a neutralisation
is required.	
Size of sewage treatment plant (m3/d): 2000	
Soil The soil has to be impermeable and resistant to liquids	10
· Notes In case of unintended release of the product: See section 6 of the Safety Dat	a Sheet.
· Disposal measures	
Ensure that all wastewater is collected and treated in a wastewater treatment plant.	
Disposal must be made according to official regulations.	
Ensure that waste is collected and contained.	
· Disposal procedures	
Must not be disposed together with household garbage. Do not allow product to	reach sewage
system.	
· Waste type Partially emptied and uncleaned packaging	
3 - Exposure estimation	
To estimate exposures in the workplace has been used ECETOC TRA tool ur	less otherwise
indicated.	
· Worker (oral)	
The calculated value is smaller than the DNEL.	
The exposure estimation was carried out in accordance with ECETOC TRA.	
Detailed information on the exposure estimation can be found at http://www.ecetoc.o	org/tra.
• Worker (dermal)	
The calculated value is smaller than the DNEL.	
The exposure estimation was carried out in accordance with ECETOC TRA.	ara ltro
Detailed information on the exposure estimation can be found at http://www.ecetoc.o	Jig/ita.
Worker (inhalation)     The calculated value is smaller than the DNEL.	
The exposure estimation was carried out in accordance with ECETOC TRA.	
Detailed information on the exposure estimation can be found at http://www.ecetoc.	ora/tra
• 4 - Guidance for downstream users	Jig/ita.
Whether the downstream user acts within the scope of the Exposure Scenario	can be verified
based on the information in sections 1 to 8.	
Whether the downstream user uses the substance / the mixture within the scope of	of the Exposure
Scenario can be determined by means of a technical assessment.	
For the risk assessment, the tools recommended by ECHA can be used.	

(Contd. on page 10)





according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade

(Contd. of page 9)

# Annex: Exposure scenario 2

- · 1 Short title of the exposure scenario Laboratory use
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC21 Laboratory chemicals
- · Process category PROC15 Use as laboratory reagent
- · Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor)

- Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.

· 2 - Conditions of use

- · Duration and frequency
- 5 workdays/week.
- Emission days (days/year): 330
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Used amount per time or activity 5000 tons per year
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure Avoid contact with eyes.

Avoid contact with the skin.

- Other operational conditions affecting consumer exposure No special measures required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures

· Worker protection

· Organisational protective measures

Provide Internal Plant Instruction.

Ensure that activities are executed by specialists or authorised personnel only.

Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.

· Technical protective measures

Only handle and refill product in closed systems.

Use only in well ventilated areas.

Ensure that suitable extractors are available on processing machines

• *Personal protective measures* Do not inhale gases / fumes / aerosols. Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Air The exhaust air is lead to a scrubber

(Contd. on page 11)





Safety data sheet according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Sulfuric acid, 96%, Ultratrace®, ppb-trace analysis grade

(Contd. of page 10)

	(Contu. of page 10)
· Water	
Generally, prior to the introduction of wastewater into wastewater treatment plants	a neutralisation
is required.	
Size of sewage treatment plant (m3/d): 2000	
Soil The soil has to be impermeable and resistant to liquids	
· Notes In case of unintended release of the product: See section 6 of the Safety Da	ta Sheet.
· Disposal measures	
Ensure that all wastewater is collected and treated in a wastewater treatment plant.	
Disposal must be made according to official regulations.	
Ensure that waste is collected and contained.	
· Disposal procedures	
Must not be disposed together with household garbage. Do not allow product to	o reach sewage
system.	
Waste type Partially emptied and uncleaned packaging	
· 3 - Exposure estimation	
To estimate exposures in the workplace has been used ECETOC TRA tool u	nless otherwise
indicated.	
· Worker (oral)	
The calculated value is smaller than the DNEL.	
The exposure estimation was carried out in accordance with ECETOC TRA.	
Detailed information on the exposure estimation can be found at http://www.ecetoc.	org/tra.
· Worker (dermal)	
The calculated value is smaller than the DNEL.	
The exposure estimation was carried out in accordance with ECETOC TRA.	
Detailed information on the exposure estimation can be found at http://www.ecetoc.	.org/tra.
Worker (inhalation)	
The calculated value is smaller than the DNEL.	
The exposure estimation was carried out in accordance with ECETOC TRA.	
Detailed information on the exposure estimation can be found at http://www.ecetoc.	org/tra.
• 4 - Guidance for downstream users	
Whether the downstream user acts within the scope of the Exposure Scenario	can be verified
based on the information in sections 1 to 8.	- ( th
Whether the downstream user uses the substance / the mixture within the scope	or the Exposure
Scenario can be determined by means of a technical assessment.	
 For the risk assessment, the tools recommended by ECHA can be used.	