

according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: Strontium, standard solution 1000 mg/l Sr for AA (strontium nitrate in nitric acid 0,5 mol/l)
- · Article number: ES0177
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the preparation: Laboratory reagent
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Scharlab, S.L.
 C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN
 Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65
 email: scharlab@scharlab.com
 Internet Web Site: www.scharlab.com

Regional representation: Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

• Further information obtainable from: technical department

• **1.4 Emergency telephone number:** Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS07

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. • Hazard pictograms




- · Signal word Warning
- *Hazard-determining components of labelling:* nitric acid
- *Hazard statements* H315 Causes skin irritation.

(Contd. on page 2)



according to 1907/2006/EC, Article 31 (REACH)





according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Strontium, standard solution 1000 mg/l Sr for AA (strontium nitrate in nitric acid 0,5 mol/l)

(Contd. of page 2)

- 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 7697-37-2 nitric acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Strontium, standard solution 1000 mg/l Sr for AA (strontium nitrate in nitric acid 0,5 mol/l)

(Contd. of page 3)

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:
- Form:
- Colour: Odour:
- Odour threshold:
- · pH-value:
- Change in condition Melting point/freezing point: Initial boiling point and boiling range: 100 °C
- · Flash point:
- Flammability (solid, gas):
- · Decomposition temperature:
- Auto-ignition temperature:
- · Explosive properties:
- · Explosion limits: Lower: **Upper:**
- Vapour pressure at 20 °C:
- Density at 20 °C:
- Relative density
- Vapour density
- Evaporation rate
- Solubility in / Miscibility with water:
- · Partition coefficient: n-octanol/water:
- Viscosity: **Dynamic:**

Fluid Colourless Odourless Not determined.

Not determined.

Undetermined.

Not applicable.

Not applicable.

Not determined.

Product is not selfigniting.

Product does not present an explosion hazard.

Not determined. Not determined.

23 hPa

1.0204 g/cm³ Not determined. Not determined. Not determined.

Fully miscible.

Not determined.

Not determined.

(Contd. on page 5)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Strontium, standard solution 1000 mg/I Sr for AA (strontium nitrate in nitric acid 0,5 mol/I)

Kinematic:

 Solvent content: Organic solvents: Water:

Solids content: 9.2 Other information Not determined.

(Contd. of page 4)

0.0 % 96.7 % 0.2 %

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Strontium, standard solution 1000 mg/l Sr for AA (strontium nitrate in nitric acid 0,5 mol/l)

(Contd. of page 5)

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information · 14.1 UN-Number · ADR, IMDG, IATA · ADR · ADR · IMDG, IATA · MDG, IATA · MDG, IATA · MDG, IATA · IMDG, IATA · IMDG, IATA · IMDG, IATA · Corrosive substances. · ADR, IMDG, IATA · · · · · · · · · · · · · · · · · · ·		
 ADR, IMDG, IATA 14.2 UN proper shipping name ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGAN N.O.S. (NITRIC ACID) IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGAN N.O.S. (NITRIC ACID) 14.3 Transport hazard class(es) ADR, IMDG, IATA Class Label 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: Marine pollutant: Monger Code (Kemler): Segregation groups Stowage Category Stowage Category ADR 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport in bulk according to Annex II of Marpol and the IBC Code Transport Additional information: ADR Limited quantities (LQ) Transport category Transport category UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGAN 	SECTION 14: Transport informat	tion
 ADR, IMDG, IATA 14.2 UN proper shipping name ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGAN N.O.S. (NITRIC ACID) IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGAN N.O.S. (NITRIC ACID) 14.3 Transport hazard class(es) ADR, IMDG, IATA Class Label 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: Marine pollutant: Monger Code (Kemler): Segregation groups Stowage Category Stowage Category ADR 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport in bulk according to Annex II of Marpol and the IBC Code Transport Additional information: ADR Limited quantities (LQ) Transport category Transport category UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGAN 	· 14 1 UN-Number	
 14.2 UN proper shipping name ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGAN N.O.S. (NITRIC ACID) IMDG, IATA IA.3 Transport hazard class(es) ADR, IMDG, IATA ADR, IMDG, IATA Class ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: Anger code (Kemler): Bogeregation groups EtMS Number: F-A,S-B Segregation groups Acids Stowage Category Stowage Category Astowage Code Stowage Code <li< td=""><td></td><td>LIN3264</td></li<>		LIN3264
ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGAI N.O.S. (NITRIC ACID) IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGAN N.O.S. (NITRIC ACID) 14.3 Transport hazard class(es) ADR, IMDG, IATA ADR, IMDG, IATA N.O.S. (NITRIC ACID) • Class 8 Corrosive substances. • Label 8 • ADR, IMDG, IATA III • ADR, IMDG, IATA III • ADR, IMDG, IATA 8 • ADR, IMDG, IATA III • ADR Stowage Category • A Stowage Code SW2 Clear of living quarters. • 14.7 Transport in bulk according to Annex II Not applicable. • Transport/Additional information: · ADR • Limited quantities (LQ) 5L • Transport category 3 • Tunne		0105204
IMDG, IATA N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGAN N.O.S. (NITRIC ACID) 14.3 Transport hazard class(es) ADR, IMDG, IATA Image: State of the state of th		2264 CORROSIVE LIQUID ACIDIC INORCAN
 IMDG, IATA IMDG, IATA 14.3 Transport hazard class(es) ADR, IMDG, IATA Class Class Class B Corrosive substances. Label 4.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Bager code (Kemler): Stowage Category Stowage Category Anasport in bulk according to Annex II of Marpol and the IBC Code Transport Additional information: ADR Limited quantities (LQ) Transport category UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID 	· ADR	
N.O.S. (NITRIC ACID) • 14.3 Transport hazard class(es) • ADR, IMDG, IATA • Class 8 Corrosive substances. • Label 8 • 14.4 Packing group 8 • ADR, IMDG, IATA III • 14.4 Packing group 8 • ADR, IMDG, IATA III • 14.5 Environmental hazards: No • Marine pollutant: No • 14.6 Special precautions for user Warning: Corrosive substances. • Danger code (Kemler): 80 • EMS Number: F-A,S-B • Segregation groups Acids • Stowage Code SW2 Clear of living quarters. • 14.7 Transport in bulk according to Annex II Not applicable. • Transport/Additional information: • • ADR SL • ADR SL • Transport category 3 • Transport category 3 • Transport category 3 • Tunnel restriction code E • UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIE		
 14.3 Transport hazard class(es) ADR, IMDG, IATA Class Class Class Class Clase Segregation groups Corrosive substances. Corrosive substances. Marine pollutant: No ALA, Special precautions for user Warning: Corrosive substances. Bo Segregation groups Acids Stowage Category A Stowage Category A Stowage Code SW2 Clear of living quarters. ALT Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) SL Transport category Clase UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIE 	· IMDG, IATA	
 ADR, IMDG, IATA Class Class Class Class Class Class Class Corrosive substances. Selectal precautions for user Marine pollutant: No ADR, IMDG, IATA III ADR Stowage Code Stowage Code Stowage Code Stowage Code Sware Code <li< td=""><td></td><td>N.O.S. (NITRIC ACID)</td></li<>		N.O.S. (NITRIC ACID)
Class 8 Corrosive substances. Label 8 14.4 Packing group 8 ADR, IMDG, IATA III 14.5 Environmental hazards: III Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: SL ADR Limited quantities (LQ) SL Transport category 3 Tunnel restriction code UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIE	• 14.3 Transport hazard class(es)	
Label 8 14.4 Packing group III ADR, IMDG, IATA III 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: SL ADR Limited quantities (LQ) SL Transport category 3 UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID	· ADR, IMDG, IATA	
Label 8 14.4 Packing group III ADR, IMDG, IATA III 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: 5L Imited quantities (LQ) 5L Transport category 3 UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID		
Label 8 14.4 Packing group III ADR, IMDG, IATA III 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: SL ADR Limited quantities (LQ) SL Transport category 3 VIN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID	A A A A A A A A A A A A A A A A A A A	
Label 8 14.4 Packing group III ADR, IMDG, IATA III 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: SL ADR Limited quantities (LQ) SL Transport category 3 UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID		
Label 8 14.4 Packing group III ADR, IMDG, IATA III 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: SL ADR Limited quantities (LQ) SL Transport category 3 VIN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID		
Label 8 14.4 Packing group III ADR, IMDG, IATA III 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: 5L Imited quantities (LQ) 5L Transport category 3 UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID	· Class	8 Corrosive substances.
 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Transport category Tunnel restriction code UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID 		
 ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Transport category Tunnel restriction code UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID 		
 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Transport category Tunnel restriction code UN 3264 CORROSIVE LIQUID, ACID 	ADR. IMDG. IATA	
 Marine pollutant: Marine pollutant: 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Transport category Tunnel restriction code UN "Model Regulation": No 		
 14.6 Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Transport category Tunnel restriction code UN 3264 CORROSIVE LIQUID, ACID 		No
 Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code E UN 3264 CORROSIVE LIQUID, ACID 		
 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code E UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID 		
 Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code E UN 3264 CORROSIVE LIQUID, ACID 	• • •	
 Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code E UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID 		
 Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Transport category Tunnel restriction code UN 3264 CORROSIVE LIQUID, ACID 		
 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Transport category Transport category Tunnel restriction code UN 3264 CORROSIVE LIQUID, ACID 		
of Marpol and the IBC Code Not applicable. · Transport/Additional information: . · ADR . · Limited quantities (LQ) 5L · Transport category 3 · Tunnel restriction code E · UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID		
 Transport/Additional information: ADR Limited quantities (LQ) Transport category Tunnel restriction code UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID 		
ADR Limited quantities (LQ) SL Transport category Tunnel restriction code UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID		Not applicable.
• Limited quantities (LQ) 5L • Transport category 3 • Tunnel restriction code E • UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID	 Transport/Additional information: 	
· Limited quantities (LQ) 5L · Transport category 3 · Tunnel restriction code E · UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID	· ADR	
Transport category 3 Tunnel restriction code E UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID		5L
Tunnel restriction code E UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID		
· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACID		
		=
	en model Regulation .	



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 04.07.2018

Trade name: Strontium, standard solution 1000 mg/l Sr for AA (strontium nitrate in nitric acid 0,5 mol/l)

(Contd. of page 6)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidiser.

- H314 Causes severe skin burns and eye damage.
- Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing SDS: product safety department

Contact: msds@scharlab.com Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 2: Oxidizing liquids - Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2