

according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Toluene, for GC residue analysis
- Article number: TO0081
- · CAS Number:
- 108-88-3
- · EC number: 203-625-9
- Index number: 601-021-00-3
- · Registration number 01-2119471310-51-XXXX
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys) Process category
- PROC5 Mixing or blending in batch processes
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- PROC15 Use as laboratory reagent
- · Application of the substance / the preparation: Laboratory reagent
- 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

#### **Regional representation:** Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

- Further information obtainable from: technical department
- 1.4 Emergency telephone number: Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

GHS08 health hazard

Repr. 2

H361d Suspected of damaging the unborn child.

(Contd. on page 2)




according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis



· vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.1 Chemical characterisation: Substances
- CAS No. Description
- 108-88-3 toluene
- · Identification number(s)
- EC number: 203-625-9
- · Index number: 601-021-00-3

(Contd. on page 3)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis

(Contd. of page 2)

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2** *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis

(Contd. of page 3)

- Further information about storage conditions: Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles. • 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
  108-88-3 toluene
- WEL Short-term value: 384 mg/m<sup>3</sup>, 100 ppm Long-term value: 191 mg/m<sup>3</sup>, 50 ppm Sk
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis

(Contd. of page 4)

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
  - Form: Colour:
- · Odour:
- · Odour threshold:
- · pH-value:

Fluid Colourless Aromatic Not determined.

Not determined.

- Change in condition Melting point/freezing point: -95 °C Initial boiling point and boiling range: 110-111 °C
- · Flash point:
- Flammability (solid, gas):
- Ignition temperature:
- · Decomposition temperature:
- Not determined.

1.2 Vol %

0.87 g/cm3

0.5 g/l

Not determined.

Not determined.

Not determined.

Not determined.

7 Vol % 29 hPa

Not applicable.

Not determined

4 °C

535 °C

- Auto-ignition temperature:
  Explosive properties:
- Explosion limits: Lower: Upper:
- · Vapour pressure at 20 °C:
- · Density at 20 °C:
- · Relative density
- Vapour density
- Evaporation rate
- Solubility in / Miscibility with water at 15 °C:
- Partition coefficient: n-octanol/water:
- Viscosity: Dynamic at 20 °C: Kinematic:
   9.2 Other information

0.6 mPas Not determined. No further relevant information available.

Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

#### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis

(Contd. of page 5) • **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:
  - Oral LD50 5,000 mg/kg (rat)

Dermal LD50 12,124 mg/kg (rabbit)

Inhalative LC50/4 h 5,320 mg/l (mouse)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity
- Suspected of damaging the unborn child.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard
- May be fatal if swallowed and enters airways.

### **SECTION 12: Ecological information**

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- *vPvB:* Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

(Contd. of page 6)

Trade name: Toluene, for GC residue analysis

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information** · 14.1 UN-Number · ADR, IMDG, IATA UN1294 14.2 UN proper shipping name 1294 TOLUENE · ADR · IMDG, IATA TOLUENE · 14.3 Transport hazard class(es) · ADR, IMDG, IATA 3 Flammable liquids. · Class · Label 3 14.4 Packing group · ADR, IMDG, IATA П · 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 · EMS Number: F-E,S-D Stowage Category B · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: · ADR · Limited quantities (LQ) 1L Transport category 2 Tunnel restriction code D/E · UN "Model Regulation": UN 1294 TOLUENE, 3, II

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40, 48
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

(Contd. on page 8)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis

(Contd. of page 7)

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Classification according to Regulation (EC) No 1272/2008
  The classification of the mixture is generally based on the calculation method using substance data
  according to Regulation (EC) No 1272/2008.
- · Department issuing SDS: product safety department

· Contact: msds@scharlab.com Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

(Contd. on page 9)

Page 9/12



## Safety data sheet

according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis

(Contd. of page 8)

#### Annex: Exposure scenario 1

- · 1 Short title of the exposure scenario Industrial use
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category PC21 Laboratory chemicals
- Process category PROC15 Use as laboratory reagent
- · Environmental release category
- ERC2 Formulation into mixture
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) • Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- · 2 Conditions of use
- Duration and frequency
- Emission days (days/year): 300 5 workdays/week.
- 8hrs (full working shift).
- · Environment

Wastewater is to be treated by a municipal STP. Municipal STP discharge rate <2E3 m3/d. Estimated substance removal from wastewater via domestic sewage treatment (%): 93.3 Maximum allowable site tonnage based on release following total wastewater treatment removal (kg/day): 7020

- · Physical parameters Readily biodegradable
- · Physical state Fluid
- Concentration of the substance in the mixture Raw material.
- It covers a percentage of substance in the product up to 100 %
- Used amount per time or activity Fraction of EU tonnage used in region : 15000 1500 tons per year

Fraction of Regional tonnage locally used: 1

- · Other operational conditions
- · Other operational conditions affecting environmental exposure

Fraction released to air from process (initial release previous to MGR): 0.025 Fraction released to residual water from process (initial release previous to MGR): 0.02 Fraction released to ground from process (initial release previous to MGR): 0.0001

• Other operational conditions affecting worker exposure Assumes use at not more than 20 °C above ambient temperature, unless stated differently.

Avoid contact with the skin.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures

Worker protection

- Organisational protective measures
- Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.
- Keep good industrial hygiene.

Users are advised to consider the limits of national occupational exposure or other equivalent values.

Provide a good standard of controlled ventilation (10 to 15 air changes per hour)

Technical protective measures

Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

(Contd. on page 10)



according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis

(Contd. of page 9) Personal protective measures Do not inhale gases / fumes / aerosols. Avoid contact with the skin. Pregnant women should strictly avoid inhalation or skin contact. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Measures for consumer protection Ensure adequate labelling. · Environmental protection measures Air No special measures required. Water The product should not be released into water without pretreatment. An on-site wastewater treatment is recommended. The typical site treatment technology of wastewater achieves removal efficiency (%): (93.3) Soil No special measures required. Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet. Disposal measures Disposal must be made according to official regulations. Ensure that all wastewater is collected and treated in a wastewater treatment plant. Ensure that waste is collected and contained. Recycling possible. **Disposal procedures** Must not be disposed together with household garbage. Do not allow product to reach sewage system. · Waste type Partially emptied and uncleaned packaging · 3 - Exposure estimation · Worker (oral) The calculated value is smaller than the DNEL. Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra. · Worker (dermal) The calculated value is smaller than the DNEL. Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra. Worker (inhalation) The calculated value is smaller than the DNEL. Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra. Environment Detailed information on the estimation of the environmental exposure can be found at http:// ecb.jrc.ec.europa.eu/euses/. 4 - Guidance for downstream users Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8. Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment. For the risk assessment, the tools recommended by ECHA can be used. (Contd. on page 11)

Page 11/12



## Safety data sheet

according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis

(Contd. of page 10)

#### Annex: Exposure scenario 2

- · 1 Short title of the exposure scenario Laboratory use
- · Sector of Use
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Product category PC21 Laboratory chemicals
- · Process category PROC15 Use as laboratory reagent
- · Environmental release category
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) • **Description of the activities / processes covered in the Exposure Scenario**
- See section 1 of the annex to the Safety Data Sheet.
- · 2 Conditions of use
- **Duration and frequency** Emission days (days/year): 365 5 workdays/week.

8hrs (full working shift).

Environment

Wastewater is to be treated by a municipal STP. Municipal STP discharge rate <2E3 m3/d. Estimated substance removal from wastewater via domestic sewage treatment (%): 93.3 Maximum allowable site tonnage based on release following total wastewater treatment removal (kg/day): 280

- · Physical parameters Readily biodegradable
- · Physical state Fluid
- **Concentration of the substance in the mixture** Raw material.
- It covers a percentage of substance in the product up to 100 %
- **Used amount per time or activity** Fraction of EU tonnage used in region : 15000 1500 tons per year Fraction of Regional tonnage locally used: 0.002
- Annual site tonnage: 3
- Other operational conditions

## • Other operational conditions affecting environmental exposure

Fraction released to air from process (initial release previous to MGR): 0.5 Fraction released to residual water from process (initial release previous to MGR): 0.5 Fraction released to ground from process (initial release previous to MGR): 0

Other operational conditions affecting worker exposure
 Assumes use at not more than 20 °C above ambient temperature, unless stated differently.
 Avoid contact with the skin.
 Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

• Other operational conditions affecting consumer exposure during the use of the product Not applicable.

#### · Risk management measures

- · Worker protection
- · Organisational protective measures

Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.

Keep good industrial hygiene.

Users are advised to consider the limits of national occupational exposure or other equivalent values.

Provide a good standard of controlled ventilation (10 to 15 air changes per hour)

#### Technical protective measures

Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

(Contd. on page 12)



Safety data sheet according to 1907/2006/EC, Article 31 (REACH)

Printing date 31.07.2018

Revision: 30.10.2017

Trade name: Toluene, for GC residue analysis

		(Contd. of page 11)
	Personal protective measures	
	Do not inhale gases / fumes / aerosols.	
	Avoid contact with the skin.	
	Pregnant women should strictly avoid inhalation or skin contact.	
	Protective gloves	
	The glove material has to be impermeable and resistant to the produc	t/ the substance/ the
	preparation.	
Dı pr Se	Due to missing tests no recommendation to the glove material can be given for the product/ the	
	preparation/ the chemical mixture.	
	Selection of the glove material on consideration of the penetration times, rat degradation	es of diffusion and the
	Measures for consumer protection Ensure adequate labelling.	
	Environmental protection measures	
	· Air No special measures required.	
	· Water	
	The product should not be released into water without pretreatment. A	n on-site wastewater
	treatment is recommended. The typical site treatment technology of wastew	ater achieves removal
	efficiency (%): (93.3)	
	Soil No special measures required.	
	· Notes In case of unintended release of the product: See section 6 of the Safe	ety Data Sheet.
	Disposal measures	
	Disposal must be made according to official regulations.	
	Ensure that all wastewater is collected and treated in a wastewater treatment	plant.
	Ensure that waste is collected and contained.	
	Recycling possible.	
	· Disposal procedures	
	Must not be disposed together with household garbage. Do not allow product to reach sewage	
	system.	
	Waste type Partially emptied and uncleaned packaging	
	· 3 - Exposure estimation	
	· Worker (oral)	
	The calculated value is smaller than the DNEL.	
	Detailed information on the exposure estimation can be found at http://www.e	celoc.org/tra.
	· Worker (dermal)	
	The calculated value is smaller than the DNEL.	
	Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.	
	Worker (inhalation)	
	The calculated value is smaller than the DNEL.	
	Detailed information on the exposure estimation can be found at http://www.e	cetoc.org/tra.
	· Environment	
	Detailed information on the estimation of the environmental exposure ca	an be found at http://
	ecb.jrc.ec.europa.eu/euses/.	
	· 4 - Guidance for downstream users	
	Whether the downstream user acts within the scope of the Exposure Sce	enario can be verified
	based on the information in sections 1 to 8.	
	Whether the downstream user uses the substance / the mixture within the s	scope of the Exposure
	Scenario can be determined by means of a technical assessment.	
	For the risk assessment, the tools recommended by ECHA can be used.	
	TO THE HER ASSESSMENT, THE LOUIS RECOMMENDED BY LOUA CALL DE USEU.	