

Safety data sheet
according to 1907/2006/EC, Article 31 (REACH)

Printing date 30.07.2018

Revision: 30.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Dichloromethane, GC ultra-trace analysis grade, stabilized with ethanol
- **Article number:** CL0341
- **CAS Number:**
75-09-2
- **EC number:**
200-838-9
- **Index number:**
602-004-00-3
- **Registration number** 01-2119480404-41-XXXX
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
- **Product category** PC21 Laboratory chemicals
- **Process category**
PROC5 Mixing or blending in batch processes
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent
- **Application of the substance / the preparation:** Laboratory reagent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Scharlab, S.L.
C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa
08181 Sentmenat (Barcelona) SPAIN
Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65
email: scharlab@scharlab.com
Internet Web Site: www.scharlab.com
- **Regional representation:**
Scharlab, S.L.
C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa
08181 Sentmenat (Barcelona) SPAIN
Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65
email: scharlab@scharlab.com
Internet Web Site: www.scharlab.com
- **Further information obtainable from:** technical department
- **1.4 Emergency telephone number:**
Please contact the regional Scharlab distributor/dealer in your country
During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31 (REACH)

Printing date 30.07.2018

Revision: 30.10.2017

Trade name: Dichloromethane, GC ultra-trace analysis grade, stabilized with ethanol

(Contd. of page 1)

Acute Tox. 4 H302 Harmful if swallowed.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Warning
- **Hazard statements**
H302 Harmful if swallowed.
H351 Suspected of causing cancer.
- **Precautionary statements**
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330 Rinse mouth.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.1 Chemical characterisation: Substances**
- **CAS No. Description**
75-09-2 dichloromethane
- **Identification number(s)**
- **EC number:** 200-838-9
- **Index number:** 602-004-00-3

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31 (REACH)

Printing date 30.07.2018

Revision: 30.10.2017

Trade name: Dichloromethane, GC ultra-trace analysis grade, stabilized with ethanol

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

75-09-2 dichloromethane
WEL Short-term value: 1060 mg/m³, 300 ppm
Long-term value: 350 mg/m³, 100 ppm
BMGV, Sk
- **Ingredients with biological limit values:**

75-09-2 dichloromethane
BMGV 30 ppm
Medium: end-tidal breath
Sampling time: post shift
Parameter: carbon monoxide

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31 (REACH)

Printing date 30.07.2018

Revision: 30.10.2017

Trade name: Dichloromethane, GC ultra-trace analysis grade, stabilized with ethanol

(Contd. of page 3)

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	Colourless
- **Odour:** Like chlorine
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/freezing point:	-95.1 °C
Initial boiling point and boiling range:	40 °C
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Not applicable.
- **Ignition temperature:** 605 °C
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Not determined.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	13 Vol %
---------------	----------

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31 (REACH)

Printing date 30.07.2018

Revision: 30.10.2017

Trade name: Dichloromethane, GC ultra-trace analysis grade, stabilized with ethanol

(Contd. of page 4)

Upper:	22 Vol %
· Vapour pressure at 20 °C:	453 hPa
· Density at 20 °C:	1.33 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water at 20 °C:	20 g/l
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic at 20 °C:	0.43 mPas
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity**
Harmful if swallowed.
 - **LD/LC50 values relevant for classification:**
-
- | | | |
|------------|----------|-------------------|
| Oral | LD50 | 1,600 mg/kg (rat) |
| Inhalative | LC50/4 h | 88 mg/l (rat) |
- **Primary irritant effect:**
 - **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
 - **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity**
Suspected of causing cancer.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31 (REACH)

Printing date 30.07.2018

Revision: 30.10.2017

Trade name: Dichloromethane, GC ultra-trace analysis grade, stabilized with ethanol


(Contd. of page 5)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN-Number** UN1593
 - **ADR, IMDG, IATA**
 - **14.2 UN proper shipping name** 1593 DICHLOROMETHANE
 - **ADR** DICHLOROMETHANE
 - **IMDG, IATA**
 - **14.3 Transport hazard class(es)**
 - **ADR, IMDG, IATA**
- 
- **Class** 6.1 Toxic substances.
 - **Label** 6.1
 - **14.4 Packing group** III
 - **ADR, IMDG, IATA**
 - **14.5 Environmental hazards:**
 - **Marine pollutant:** No
 - **14.6 Special precautions for user** Warning: Toxic substances.
 - **Danger code (Kemler):** 60
 - **EMS Number:** F-A,S-A
 - **Segregation groups** Liquid halogenated hydrocarbons
 - **Stowage Category** A
 - **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
 - **Transport/Additional information:**
-
- **ADR**
 - **Limited quantities (LQ)** 5L

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31 (REACH)

Printing date 30.07.2018

Revision: 30.10.2017

Trade name: Dichloromethane, GC ultra-trace analysis grade, stabilized with ethanol

· Transport category	2	(Contd. of page 6)
· Tunnel restriction code	E	
· UN "Model Regulation":	UN 1593 DICHLOROMETHANE, 6.1, III	

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 59
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Classification according to Regulation (EC) No 1272/2008**
The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
- **Department issuing SDS:** product safety department
- **Contact:** msds@scharlab.com
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Carc. 2: Carcinogenicity – Category 2

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31 (REACH)

Printing date 30.07.2018

Revision: 30.10.2017

Trade name: Dichloromethane, GC ultra-trace analysis grade, stabilized with ethanol

(Contd. of page 7)

Annex: Exposure scenario

- **1 - Short title of the exposure scenario** Laboratory use
- **Sector of Use**
 - SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
 - SU24 Scientific research and development
- **Product category** PC21 Laboratory chemicals
- **Process category** PROC15 Use as laboratory reagent
- **Environmental release category**
 - ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
- **2 - Conditions of use**
- **Duration and frequency**
 - 5 workdays/week.
 - Emission days (days/year): 365
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** Raw material.
- **Used amount per time or activity** 257 tons per year
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Keep out of the reach of children.
- **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures**
 - Ensure that suitable extractors are available on processing machines
- **Personal protective measures** Do not inhale gases / fumes / aerosols.
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water**
 - The product should not be released into water without pretreatment. An on-site wastewater treatment is recommended. The typical site treatment technology of wastewater achieves removal efficiency (%): (93.5)
- **Soil** No special measures required.
- **Notes** In case of unintended release of the product: See section 6 of the Safety Data Sheet.
- **Disposal measures**
 - Disposal must be made according to official regulations.
 - Ensure that waste is collected and contained.
- **Disposal procedures**
 - Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **3 - Exposure estimation**
- **Worker (dermal)** PROC 15: <0.1 (mg/kg/d)
- **Worker (inhalation)** PROC 15: 0.1-0.5 (mg/m3)
- **Environment**
 - Concentration / maximum emission: Seawater 0.194 mg/l
 - Concentration / maximum emission: Freshwater 0.54 mg/l

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31 (REACH)

Printing date 30.07.2018

Revision: 30.10.2017

Trade name: Dichloromethane, GC ultra-trace analysis grade, stabilized with ethanol

(Contd. of page 8)

4 - Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.

For the risk assessment, the tools recommended by ECHA can be used.